





Materials:

Cast iron base and steel connecting parts, protected with anti-rust primer and painted.

Seat and backrest made of FSC-certified tropical hardwood slats measuring 45 x 45 mm in section and 45 x 200 mm at the ends protected with one-coat oil.

Finishes:





Black Tropical (FSC®)

*The colors shown are merely indicative and may differ from reality. (Other colors available to order)

**See special finishes for marine environments

Weights (kg):

1.80 m bench without backrest: 114. 1.80 m bench with backrest: 132.

3.00 m bench without backrest: 131. 3.00 m bench with backrest: 167.

Installation and maintenance:

Surface fixation by means of two antirust treated anchor bolts per structure, sunk into holes previously drilled into the pavement and filled with epoxy resin, quick-setting cement or similar.


The bench is delivered in two parts: base structures and seat with or without backrest.

Instructions, screws and anchor bolts are included.

No functional maintenance is required, others than to maintain the original wood finish.


(For further information log onto urbidermis.com)

Applicable standards: UNE EN 12727, UNE EN 581, UNE 41510, GJL-200 (DIN EN 1561), UNE-EN-ISO 12944, FSC-STD-40-004 (license n°: FSC C009370).




Moon bench 1.80m without backrest on low wall

Moon bench 1.80m with backrest on low wall




Moon bench 1.80m without backrest

Moon bench 1.80m with backrest




Moon bench 3.00m without backrest on low wall


Sizes in cm



Moon bench 3.00m with backrest on low wall



Moon bench 3.00m without backrest



Moon bench 3.00m with backrest

Sizes in cm